



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2023/B/3522502
Dated/दिनांक : 02-06-2023

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	12-06-2023 20:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	12-06-2023 20:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	100 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Education
Department Name/विभाग का नाम	Department Of Higher Education
Organisation Name/संगठन का नाम	Indian Institute Of Technology Kanpur
Office Name/कार्यालय का नाम	Kanpur
Total Quantity/कुल मात्रा	18
Item Category/मद केटेगरी	Workstation (Q2)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	100 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	225 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

Bid Details/बिड विवरण

Past Performance/विगत प्रदर्शन	80 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Workstation
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the

offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

7. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Quantity
Schedule 1	Workstation	6
Schedule 2	Workstation	6
Schedule 3	Workstation	6

Workstation (6 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Processor	Processor Make	Intel, AMD
	Processor Generation	7, 8, 9, NA, 10, 11, 12 Or higher
	Number of Cores per Processor	2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 64 Or higher
	Processor Base Frequency (GHz)	1.7, 2, 2.1, 2.2, 2.3, 2.4, 2.5, 2.6, 2.7, 2.8, 2.9, 3, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4, 4.1, 4.2, 4.3, 1.8, 1.9, 5.2 Or higher
	Processor Description	Intel Core i3, Intel Core i5, Intel Core i7, Intel Core i9, Intel Xeon E Series, Intel Xeon W Series, Intel Xeon Bronze Series, Intel Xeon Silver Series, Intel Xeon Gold Series, Intel Xeon Platinum Series, AMD Ryzen Threadripper Or higher
	Processor Number	Intel Core i3-8100, Intel Core i3-8350K, Intel Core i5-8400, Intel Core i5-8500, Intel Core i5-8600, Intel Core i5-8600K, Intel Core i7-8700, Intel Core i7-8700K, Intel Core i7-7800X, Intel Core i7-7820X, Intel Core i9-7900X, Intel Core i9-7920X, Intel Core i9-7940X, Intel Core i9-7960X, Intel Core i9-7980XE, Intel Core i5-8300H, Intel Core i5- 8305G, Intel Core i5- 8400H, Intel Core i7- 8706G, Intel Core i7- 8750H, Intel Core i7- 8850H, Intel Core i9- 8950HK, Intel Core i3-9100, Intel Core i5-8265U, Intel Core i5-8365U, Intel Core i5-9300H, Intel Core i5-9400H, Intel Core i5-9500, Intel Core i5-9600, Intel Core i5-9600K, Intel Core i7-8565U, Intel Core i7-8665U, Intel Core i7-9700, Intel Core i7-9700K, Intel Core i7-9800X, Intel Core i9-9820X, Intel Core i9-9900, Intel Core i9-9900K, Intel Core i9-9900X, Intel Core i9-9940X, Intel Core i9-9960X, Intel Core i7-9750H, Intel Core i7-9850H, Intel Core i9-9880H, Intel Core i9-9980HK, Intel Core i7-8550U, Intel Core i7-9850HF, Intel Core i9-9980XE, Intel Core i3-8300, Intel Core i3-9300, Intel Core i3-9320, Intel Core i3-9350K, Intel Core i3-9350KF, Intel Core i5- 9400, Intel Core i5- 9400F, Intel Core i5-9500F, Intel Core i5- 9600KF, Intel Core i7-9700F, Intel Core i7-9700KF, Intel Core i9-9900KF, Intel Core i9-

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए माध्यम (Allowed Values) (अनुमति प्राप्त)
		<p>9920X, Intel Core i3-7100, Intel Core i5-7400, Intel Core i5-7500, Intel Core i7-7700, Intel Core i5-8250U, Intel Core i7-8650H, Intel Core i9-9800H, Intel Core i9-10880H, Intel Core i7-10875H, Intel Core i7-10850H, Intel Core i9-9980HK, Intel Core i7-10750H, Intel Core i9-8950HK, Intel Core i5-10400H, Intel Core i5-10300H, Intel Xeon E3 1535M v6, Intel Xeon E3 1505M v6, Intel Xeon E3 1575M v5, Intel Xeon E3 1535M v5, Intel Xeon E3 1545M v5, Intel Xeon E3 1505M v5, Intel Xeon E3 1515M v5, Intel Core i7-10810U, Intel Core i7-10610U, Intel Core i7-10510U, Intel Core i5-10310U, Intel Core i5-10210U, Intel Core i9-10885H, Intel Core i9-10900K, Intel Core i9-10900, Intel Core i7-10700K, Intel Core i7-10700, Intel Core i5-10600K, Intel Core i5-10600, Intel Core i5-10500, Intel Core i3-10100, Intel Core i9-10980XE, Intel Core i9-10940X, Intel Core i9-10920X, Intel Core i9-10900X, Intel Core i9-11900K, Intel Core i9-11900, Intel Core i7-11700K, Intel Core i7-11700, Intel Core i5-11600K, Intel Core i5-11600, Intel Core i5-11500, Intel Core i3-10105, Intel Core i3-10100, Intel Core i3-1220P, Intel Core i5-1135G7, Intel Core i5-1145G7, Intel Core i5-1155G7, Intel Core i7-1165G7, Intel Core i7-1185G7, Intel Core i5-1240P, Intel Core i5-1235U, Intel Core i5-1250P, Intel Core i5-1245U, Intel Core i7-1260P, Intel Core i7-1255U, Intel Core i7-1270P, Intel Core i7-1280P, Intel Core i7-1265U, Intel Core i5-12400, Intel Core i5-12500, Intel Core i5-12600K, Intel Core i5-12600, Intel Core i7-12700, Intel Core i7-12700K, Intel Core i9-12900, Intel Core i9-12900K, Intel Xeon E-2124, Intel Xeon E-2124G, Intel Xeon E-2126G, Intel Xeon E-2134, Intel Xeon E-2136, Intel Xeon E-2144G, Intel Xeon E-2146G, Intel Xeon E-2174G, Intel Xeon E-2186G, Intel Xeon W-2102, Intel Xeon W-2104, Intel Xeon W-2123, Intel Xeon W-2125, Intel Xeon W-2133, Intel Xeon W-2135, Intel Xeon W-2145, Intel Xeon W-2155, Intel Xeon W-2175, Intel Xeon W-2195, Intel Xeon E-2224, Intel Xeon E-2224G, Intel Xeon E-2226G, Intel Xeon E-2234, Intel Xeon E-2236, Intel Xeon E-2246G, Intel Xeon E-2276G, Intel Xeon E-2278G, Intel Xeon E-2286G, Intel Xeon E-2288G, Intel Xeon E-2176G, Intel Xeon E-2244G, Intel Xeon E-2274G, Intel Xeon W-3175X, Intel Xeon W-3223, Intel Xeon W-3225, Intel Xeon W-3235, Intel Xeon W-3245, Intel Xeon W-3245M, Intel Xeon W-3265, Intel Xeon W-3265M, Intel Xeon W-3275, Intel Xeon W-3275M, Intel Xeon E-2276M, Intel Xeon E-2286M, Intel Xeon E-2176M, Intel Xeon E-2186M, Intel Xeon E-2104G, Intel Xeon W-2235, Intel Xeon W-2255, Intel Xeon W-10855M, Intel Xeon W-10885M, Intel Xeon W-1290P, Intel Xeon W-1290, Intel Xeon W-1270P, Intel Xeon W-1270, Intel Xeon W-1250P, Intel Xeon W-1250, Intel Xeon W-2223, Intel Xeon W-2225, Intel Xeon W-2245, Intel Xeon W-2265, Intel Xeon W-2275, Intel Xeon W-2295, Intel Xeon W-2286M, Intel Xeon W-2276M, Intel Xeon W-1390P, Intel Xeon W-1390, Intel Xeon W-1370P, Intel Xeon W-1370, Intel Xeon W-1350P, Intel Xeon W-1350, Intel Xeon Bronze 3106, Intel Xeon Silver 4108, Intel Xeon Silver 4110, Intel Xeon Silver 4112, Intel Xeon Silver 4114, Intel Xeon Silver 4116, Intel Xeon Bronze 3204, Intel Xeon Silver 4208, Intel Xeon Silver 4210, Intel Xeon Silver 4214, Intel Xeon Silver 4215, Intel Xeon Silver 4216, Intel Xeon Gold 5118, Intel Xeon Gold 5120, Intel Xeon Gold 5122, Intel Xeon Gold 6126, Intel Xeon Gold 6128, Intel Xeon Gold 6130F, Intel</p>

Specification	Specification Name/विशिष्ट क नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमति मूल्य
		<p>Xeon Gold 6132, Intel Xeon Gold 6134, Intel Xeon Gold 6136, Intel Xeon Gold 6138, Intel Xeon Gold 6140, Intel Xeon Gold 6142, Intel Xeon Gold 6142F, Intel Xeon Gold 6144, Intel Xeon Gold 6146, Intel Xeon Gold 6148, Intel Xeon Gold 6150, Intel Xeon Gold 6152, Intel Xeon Gold 6154, Intel Xeon Platinum 8156, Intel Xeon Platinum 8160, Intel Xeon Platinum 8164, Intel Xeon Platinum 8168, Intel Xeon Platinum 8170, Intel Xeon Platinum 8176, Intel Xeon Platinum 8180, Intel Xeon Gold 5215, Intel Xeon Gold 5215L, Intel Xeon Gold 5215M, Intel Xeon Gold 5217, Intel Xeon Gold 5218, Intel Xeon Gold 5220, Intel Xeon Gold 5222, Intel Xeon Gold 6230, Intel Xeon Gold 6240, Intel Xeon Gold 6242, Intel Xeon Gold 6244, Intel Xeon Gold 6248, Intel Xeon Gold 6252, Intel Xeon Gold 6254, Intel Xeon Platinum 8253, Intel Xeon Platinum 8256, Intel Xeon Platinum 8260, Intel Xeon Platinum 8260L, Intel Xeon Platinum 8260M, Intel Xeon Platinum 8268, Intel Xeon Platinum 8270, Intel Xeon Platinum 8276, Intel Xeon Platinum 8276L, Intel Xeon Platinum 8276M, Intel Xeon Platinum 8280, Intel Xeon Platinum 8280L, Intel Xeon Platinum 8280M, Intel Xeon Gold 6234, Intel Xeon Gold 6238, Intel Xeon Gold 6238T, Intel Xeon Gold 6240Y, Intel Xeon Gold 6240M, Intel Xeon Gold 6246, Intel Xeon Platinum 8260Y, Intel Xeon Silver 4214Y, Intel Xeon Platinum 8158, Intel Xeon Bronze 3104, Intel Xeon Bronze 3206R, Intel Xeon Silver 4215R, Intel Xeon Silver 4210R, Intel Xeon Silver 4214R, Intel Xeon Gold 6226, Intel Xeon Gold 6250, Intel Xeon Gold 6256, Intel Xeon Gold 5218R, Intel Xeon Gold 6226R, Intel Xeon Gold 6246R, Intel Xeon Gold 6242R, Intel Xeon Gold 5220R, Intel Xeon Gold 6230R, Intel Xeon 6240R, Intel Xeon Gold 6238R, Intel Xeon Gold 6248R, Intel Xeon Gold 6258R, Intel Xeon Platinum 9221, Intel Xeon Platinum 9222, Intel Xeon Platinum 9242, Intel Xeon Platinum 9282, Intel Xeon Gold 5117, AMD:AMD Ryzen Threadripper 1900X, AMD:AMD Ryzen Threadripper 1920X, AMD:AMD Ryzen Threadripper 1950X, AMD:AMD Ryzen Threadripper 2920X, AMD:AMD Ryzen Threadripper 2950X, AMD:AMD Ryzen Threadripper 2970X, AMD:AMD Ryzen Threadripper 2990X, AMD: AMD Ryzen Threadrippe PRO 3945WX, AMD: AMD Ryzen Threadripper PRO 3955WX, AMD: AMD: Ryzen Threadripper PRO 3975WX, AMD: AMD: RyzenThreadripper PRO 3995WX, AMD Ryzen 9 5950X, AMD Ryzen 9 3950X, AMD Ryzen 9 5900X, AMD Ryzen 9 5900, AMD Ryzen 7 5800X, AMD Ryzen 7 5800, AMD Ryzen 7 3800XT, Ryzen 7 PRO 4750G, AMD Ryzen 5 5600X, AMD Ryzen 5 3600XT, Ryzen 5 PRO 4650G, Ryzen 3 PRO 4350G, AMD Threadripper PRO 5995WX, AMD Threadripper PRO 5975WX, AMD Threadripper PRO 5965WX, AMD Threadripper PRO 5955WX, AMD Threadripper PRO 5945WX Or higher</p>
	<p>Number of Sockets populated with the Processors</p>	<p>1, 2 Or higher</p>
<p>Type</p>	<p>Form Factor</p>	<p>Mobile - Standard, Mobile - Detachable, Mobile - Convertible, Mobile - Ultra Small Form Factor, Desktop, Rack - 1U, Rack - 2U</p>

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Motherboard	Chipset Number	Intel C236, Intel C246, Intel CM246, Intel C422, Intel C621, Intel C622, Intel C624, Intel X99, Intel X299, Intel HM 175, Integrated, Intel W480, Intel WM490, Intel W580, Intel H570, Intel W680, Integrated SoC, Intel B660, Intel Q670, AMD X399, AMD WRX80, AMD B550 Or higher
Graphics	Graphics Type	Integrated, Dedicated/Discrete
	Number of Graphic Cards	0, 1, 2, 3, 4 Or higher
	Graphic Card Description	nVIDIA NVS 310 1GB, nVIDIA NVS 315 1GB, nVIDIA NVS 510 2GB, nVIDIA NVS 810 4GB, nVIDIA Quadro P400 2GB, nVIDIA Quadro P620 2GB, nVIDIA Quadro P1000 4GB, nVIDIA Quadro P2000 5GB, nVIDIA Quadro P3000 6GB, nVIDIA Quadro RTX 3000 6GB, nVIDIA Quadro P4000 8GB, nVIDIA Quadro RTX 4000 8GB, nVIDIA Quadro P5000 16GB, nVIDIA Quadro RTX 5000 16GB, nVIDIA Quadro P6000 24GB, nVIDIA Quadro GP100 16GB, nVIDIA Quadro RTX 6000 24GB, nVIDIA Quadro RTX 8000 48GB, nVIDIA Quadro GV100 32GB, nVIDIA Tesla V100 SXM2 32GB, nVIDIA Quadro P620 4GB, nVIDIA Quadro T1000 w/4GB, nVIDIA Quadro T2000 w/4GB, NVIDIA® Quadro P600 4GB GDDR5, NVIDIA Quadro P2200 5GB GDDR5, NVIDIA Quadro P520 4 GB GDDR5, NVIDIA RTX A4000 16GB 4DP GFX, NVIDIA T400 2GB, NVIDIA T500 4GB, NVIDIA T600 4GB, NVIDIA T550 4GB, NVIDIA RTX A500 4GB(3), NVIDIA T1000 8GB, NVIDIA RTX A2000 12GB, NVIDIA RTX A4000 16GB, NVIDIA RTX A4500 20GB, NVIDIA RTX A5000 24GB, NVIDIA RTX A5500 24GB, NVIDIA RTX A6000 48GB, NVIDIA T400 4GB, NVIDIA Long-Life T1000E 8 GB 4mDP, NVIDIA RTX A2000 - 6GB, NVIDIA Long-Life RTX A2000E 12 GB 4mDP Graphics, NVIDIA GeForce RTX 3060 12 GB, NVIDIA GeForce RTX 3070 8 GB, NVIDIA GeForce RTX 3080 10 GB, AMD Radeon Pro WX2100, AMD Radeon Pro WX3100, AMD Radeon Pro WX3200, AMD Radeon Pro WX4100, AMD Radeon Pro WX4170, AMD Radeon Pro WX5100, AMD Radeon Pro WX7100, AMD Radeon Pro WX7130, AMD Radeon Pro WX9100, AMD Radeon Pro WX4150, GFX AMD Radeon Pro W5500 8GB FH 4DP, AMD Radeon™ Pro W6800 Graphics -32 GB, AMD Radeon™ Pro W6600 Graphics 8GB, AMD Radeon™ RX 6700 XT 12GB, NA Or higher
Operating System	Operating System (Factory Pre-Loaded)	Windows 10 Professional 64 bit, Ubuntu Linux, Redhat Linux, DOS, Windows 11 Professional
Memory	RAM Size (GB)	4, 8, 16, 32, 64, 128, 256, 512, 1024, 2048, 3072, 4096, 48, 96, 192, 384, 768, 1536 Or higher
	RAM Expandability upto using spare DIMM Slots (GB)	16, 32, 64, 128, 256, 512, 1024, 3072, 4096, 384, 1536, 2048, 768 Or higher
Primary Storage /Boot Drive	Type of Drives used to populate the internal Bays	SATA, SAS, SSD, PCIe, NA
	RAID for Operating System	0, 1, NA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Capacity of each Drive (GB)	128, 256, 300, 384, 500, 512, 600, 768, 800, 900, 1000, 1024, 1200, 1800, 2000, 2048, 4000, 4096, 8000, 6000, 0 Or higher
Secondary Storage	Type of Drives used to populate the Internal Bays	SATA, SAS, SSD, PCIe, NA
	Number of Internal Bays populated with SATA Drive	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Each SATA Drive Capacity (GB)	500, 1000, 2000, 4000, 8000, 0, 6000 Or higher
	Total SATA Drive Capacity (GB)	500, 1000, 2000, 4000, 8000, 3000, 5000, 6000, 7000, 9000, 12000, 16000, 20000, 24000, 28000, 32000, 0 Or higher
	Number of Internal Bays populated with SAS Drive	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Capacity of each SAS Drive (GB)	300, 600, 900, 1200, 1800, 800, 0, 4000 Or higher
	Total SAS Drive Capacity (GB)	300, 600, 900, 1200, 1800, 2100, 0, 4000 Or higher
	Number of Internal Bays populated with SSD Drive	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Capacity of each SSD Drive (GB)	128, 256, 512, 1024, 2048, 800, 0 Or higher
	Total SSD Capacity (GB)	128, 256, 384, 512, 768, 1024, 2048, 4096, 0, 5120, 3072 Or higher
	Number of Internal Bays populated with PCIe Drive	0, 1, 2, 3, 4, 5, 6, 7, 8 Or higher
	Capacity of each PCIe Drive (GB)	128, 256, 512, 1024, 2048, 0 Or higher
	Total PCIe Drive Capacity (GB)	128, 256, 512, 1024, 2048, 4096, 0, 1536, 6144 Or higher
	RAID	Number of RAID Controller Ports
Speed of RAID Controller Ports (Gbps)		6, 12, 0 Or higher
Connectivity	Number of Ethernet Ports	1, 2, 3, 4, 6 Or higher
	Wireless Connectivity	Yes, No Or higher
	If Yes, Type of Wireless Connectivity	Wi-Fi 802.11b/g/n, Wi-Fi 802.11ac, NA, Wi-Fi 6E AX211 BT 5.2, Wi-Fi 6 AX200 & BT 5.2, Wi-Fi 6 AX201 (2x2) and BT 5.2 Or higher
	Bluetooth Connectivity	Yes, No Or higher
	If Yes, Version of Bluetooth Available	4, 4.1, 4.2, 5, 0 Or higher
Display	Display Availability	Integrated, Monitor, NA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Display Size (cm)	35 - 39, 40 - 44, 45 - 49, 49.5 - 53.5, 54 - 56, 58- 61, 63 - 67, 68- 71, 72- 81, 82 - 87, 88 - 93, 94 - 97, 98 - 105, 107 - 110, 111 - 115, 116 - 120, 121 - 125, 126 - 130, NA Or higher
	Display Type	Non Touch, Touch, NA Or higher
	Panel Type	Flat, Curved, NA Or higher
	Panel Technology	IPS, TN, VA, OLED, NA Or higher
	Display Resolution (Pixels)	1366x768, 1440 x 900, 1600 x 900, 1920x1080, 1920 x 1200, 3200x1800, 3840 x 2160, 2560 x 1080, 2560 x 1440, 2560 x 1600, 3440 x 1440, 3840 x 1600, 5120 x 1440, 7680 x 4320, NA Or higher
Power	Redundant Power Supply	Yes, No Or higher
Warranty	On Site OEM Warranty (Year)	1, 2, 3, 4, 5 Or higher

Additional Specification Parameters - Workstation (6 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional Technical Parameters (Item Required only with as per the ATC)	Specifications Attached in Scope of Work/ATC (Mandatory)

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajeev Nandan	201309, Outreach Center, Noida IIT Kanpur Extension C Block, Sector 62, Phase 2, Industrial Area, Sector 62	6	45

Workstation (6 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Processor	Processor Make	Intel, AMD
	Processor Generation	7, 8, 9, NA, 10, 11, 12 Or higher
	Number of Cores per Processor	2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 64 Or higher
	Processor Base Frequency (GHz)	1.7, 2, 2.1, 2.2, 2.3, 2.4, 2.5, 2.6, 2.7, 2.8, 2.9, 3, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4, 4.1, 4.2, 4.3, 1.8, 1.9, 5.2 Or higher
	Processor Description	Intel Core i3, Intel Core i5, Intel Core i7, Intel Core i9, Intel Xeon E Series, Intel Xeon W Series, Intel Xeon Bronze Series, Intel Xeon Silver Series, Intel Xeon Gold Series, Intel Xeon Platinum Series, AMD Ryzen Threadripper Or higher
	Processor Number	Intel Core i3-8100, Intel Core i3-8350K, Intel Core i5-8400, Intel Core i5-8500, Intel Core i5-8600, Intel Core i5-8600K, Intel Core i7-8700, Intel Core i7-8700K, Intel Core i7-7800X, Intel Core i7-7820X, Intel Core i9-7900X, Intel Core i9-7920X, Intel Core i9-7940X, Intel Core i9-7960X, Intel Core i9-7980XE, Intel Core i5-8300H, Intel Core i5- 8305G, Intel Core i5- 8400H, Intel Core i7- 8706G, Intel Core i7- 8750H, Intel Core i7- 8850H, Intel Core i9- 8950HK, Intel Core i3-9100, Intel Core i5-8265U, Intel Core i5-8365U, Intel Core i5-9300H, Intel Core i5-9400H, Intel Core i5-9500, Intel Core i5-9600, Intel Core i5-9600K, Intel Core i7-8565U, Intel Core i7-8665U, Intel Core i7-9700, Intel Core i7-9700K, Intel Core i7-9800X, Intel Core i9-9820X, Intel Core i9-9900, Intel Core i9-9900K, Intel Core i9-9900X, Intel Core i9-9940X, Intel Core i9-9960X, Intel Core i7-9750H, Intel Core i7-9850H, Intel Core i9-9880H, Intel Core i9-9980HK, Intel Core i7-8550U, Intel Core i7-9850HF, Intel Core i9-9980XE, Intel Core i3-8300, Intel Core i3-9300, Intel Core i3-9320, Intel Core i3-9350K, Intel Core i3-9350KF, Intel Core i5- 9400, Intel Core i5- 9400F, Intel Core i5- 9500F, Intel Core i5- 9600KF, Intel Core i7-9700F, Intel Core i7-9700KF, Intel Core i9-9900KF, Intel Core i9-9920X, Intel Core i3-7100, Intel Core i5-7400, Intel Core i5-7500, Intel Core i7-7700, Intel Core i5-8250U, Intel Core i7-8650U, Intel Core i9 10980HK, Intel Core i9 10880H, Intel Core i7 10875H, Intel Core i7 10850H, Intel Core i9 9980HK, Intel Core i7 10750H, Intel Core i9 8950HK, Intel Core i5 10400H, Intel Core i5 10300H, Intel Xeon E3 1535M v6, Intel Xeon E3 1505M v6, Intel Xeon E3 1575M v5, Intel Xeon E3 1535M v5, Intel Xeon E3 1545M v5, Intel Xeon E3 1505M v5, Intel Xeon E3 1515M v5, Intel Core i7 10810U, Intel Core i7 10610U, Intel Core i7 10510U, Intel Core i5 10310U, Intel Core i5 10210U, Intel Core i9 10885H, Intel Core i9 10900K, Intel Core i9 10900, Intel Core i7 10700K, Intel Core i7 10700, Intel Core i5 10600K, Intel Core i5 10600, Intel Core i5 10500, Intel Core i3 10100, Intel Core i9 10980XE, Intel Core i9 10940X, Intel Core i9 10920X, Intel Core i9 10900X, Intel Core i9 11900K, Intel Core i9 11900, Intel Core

Specification	Specification Name/विशिष्ट का नाम	Bid Requirements/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
		i7-11700K, Intel Core i7-11700, Intel Core i5-11600K, Intel Core i3-10105, Intel Core i3-10100, Intel Core i3-1220P, Intel Core i5-1135G7, Intel Core i5-1145G7, Intel Core i5-1155G7, Intel Core i7-1165G7, Intel Core i7-1185G7, Intel Core i5-1240P, Intel Core i5-1235U, Intel Core i5-1250P, Intel Core i5-1245U, Intel Core i7-1260P, Intel Core i7-1255U, Intel Core i7-1270P, Intel Core i7-1280P, Intel Core i7-1265U, Intel Core i5 12400, Intel Core i5 12500, Intel Core i5 12600K, Intel Core i5 12600, Intel Core i7 12700, Intel Core i7 12700K, Intel Core i9 12900, Intel Core i9 12900K, Intel Xeon E-2124, Intel Xeon E-2124G, Intel Xeon E-2126G, Intel Xeon E-2134, Intel Xeon E-2136, Intel Xeon E-2144G, Intel Xeon E-2146G, Intel Xeon E-2174G, Intel Xeon E-2186G, Intel Xeon W-2102, Intel Xeon W-2104, Intel Xeon W-2123, Intel Xeon W-2125, Intel Xeon W-2133, Intel Xeon W-2135, Intel Xeon W-2145, Intel Xeon W-2155, Intel Xeon W-2175, Intel Xeon W-2195, Intel Xeon E-2224, Intel Xeon E-2224G, Intel Xeon E-2226G, Intel Xeon E-2234, Intel Xeon E-2236, Intel Xeon E-2246G, Intel Xeon E-2276G, Intel Xeon E-2278G, Intel Xeon E-2286G, Intel Xeon E-2288G, Intel Xeon E-2176G, Intel Xeon E-2244G, Intel Xeon E-2274G, Intel Xeon W-3175X, Intel Xeon W-3223, Intel Xeon W-3225, Intel Xeon W-3235, Intel Xeon W-3245, Intel Xeon W-3245M, Intel Xeon W-3265, Intel Xeon W-3265M, Intel Xeon W-3275, Intel Xeon W-3275M, Intel Xeon E-2276M, Intel Xeon E-2286M, Intel Xeon E-2176M, Intel Xeon E-2186M, Intel Xeon E-2104G, Intel Xeon W-2235, Intel Xeon W-2255, Intel Xeon W 10855M, Intel Xeon W 10885M, Intel Xeon W 1290P, Intel Xeon W 1290, Intel Xeon W 1270P, Intel Xeon W 1270, Intel Xeon W 1250P, Intel Xeon W 1250, Intel Xeon W-2223, Intel Xeon W-2225, Intel Xeon W-2245, Intel Xeon W-2265, Intel Xeon W-2275, Intel Xeon W-2295, Xeon 2286M, Xeon 2276M, Intel Xeon W 1390P, Intel Xeon W 1390, Intel Xeon W 1370P, Intel Xeon W 1370, Intel Xeon W 1350P, Intel Xeon W 1350, Intel Xeon Bronze 3106, Intel Xeon Silver 4108, Intel Xeon Silver 4110, Intel Xeon Silver 4112, Intel Xeon Silver 4114, Intel Xeon Silver 4116, Intel Xeon Bronze 3204, Intel Xeon Silver 4208, Intel Xeon Silver 4210, Intel Xeon Silver 4214, Intel Xeon Silver 4215, Intel Xeon Silver 4216, Intel Xeon Gold 5118, Intel Xeon Gold 5120, Intel Xeon Gold 5122, Intel Xeon Gold 6126, Intel Xeon Gold 6128, Intel Xeon Gold 6130F, Intel Xeon Gold 6132, Intel Xeon Gold 6134, Intel Xeon Gold 6136, Intel Xeon Gold 6138, Intel Xeon Gold 6140, Intel Xeon Gold 6142, Intel Xeon Gold 6142F, Intel Xeon Gold 6144, Intel Xeon Gold 6146, Intel Xeon Gold 6148, Intel Xeon Gold 6150, Intel Xeon Gold 6152, Intel Xeon Gold 6154, Intel Xeon Platinum 8156, Intel Xeon Platinum 8160, Intel Xeon Platinum 8164, Intel Xeon Platinum 8168, Intel Xeon Platinum 8170, Intel Xeon Platinum 8176, Intel Xeon Platinum 8180, Intel Xeon Gold 5215, Intel Xeon Gold 5215L, Intel Xeon Gold 5215M, Intel Xeon Gold 5217, Intel Xeon Gold 5218, Intel Xeon Gold 5220, Intel Xeon Gold 5222, Intel Xeon Gold 6230, Intel Xeon Gold 6240, Intel Xeon Gold 6242, Intel Xeon Gold 6244, Intel Xeon Gold 6248, Intel Xeon Gold 6252, Intel Xeon Gold 6254, Intel Xeon Platinum 8253, Intel Xeon Platinum 8256, Intel Xeon Platinum 8260, Intel Xeon Platinum 8260L, Intel Xeon Platinum 8260M, Intel Xeon

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/मान्यमान्य
		Platinum 8268, Intel Xeon Platinum 8270, Intel Xeon Platinum 8276, Intel Xeon Platinum 8276L, Intel Xeon Platinum 8276M, Intel Xeon Platinum 8280, Intel Xeon Platinum 8280L, Intel Xeon Platinum 8280M, Intel Xeon Gold 6234, Intel Xeon Gold 6238, Intel Xeon Gold 6238T, Intel Xeon Gold 6240Y, Intel Xeon Gold 6240M, Intel Xeon Gold 6246, Intel Xeon Platinum 8260Y, Intel Xeon Silver 4214Y, Intel Xeon Platinum 8158, Intel Xeon Bronze 3104, Intel Xeon Bronze 3206R, Intel Xeon Silver 4215R, Intel Xeon Silver 4210R, Intel Xeon Silver 4214R, Intel Xeon Gold 6226, Intel Xeon Gold 6250, Intel Xeon Gold 6256, Intel Xeon Gold 5218R, Intel Xeon Gold 6226R, Intel Xeon Gold 6246R, Intel Xeon Gold 6242R, Intel Xeon Gold 5220R, Intel Xeon Gold 6230R, Intel Xeon 6240R, Intel Xeon Gold 6238R, Intel Xeon Gold 6248R, Intel Xeon Gold 6258R, Intel Xeon Platinum 9221, Intel Xeon Platinum 9222, Intel Xeon Platinum 9242, Intel Xeon Platinum 9282, Intel Xeon Gold 5117, AMD:AMD Ryzen Threadripper 1900X, AMD:AMD Ryzen Threadripper 1920X, AMD:AMD Ryzen Threadripper 1950X, AMD:AMD Ryzen Threadripper 2920X, AMD:AMD Ryzen Threadripper 2950X, AMD:AMD Ryzen Threadripper 2970X, AMD:AMD Ryzen Threadripper 2990X, AMD: AMD Ryzen Threadrippe PRO 3945WX, AMD: AMD Ryzen Threadripper PRO 3955WX, AMD: AMD: Ryzen Threadripper PRO 3975WX, AMD: AMD: RyzenThreadripper PRO 3995WX, AMD Ryzen 9 5950X, AMD Ryzen 9 3950X, AMD Ryzen 9 5900X, AMD Ryzen 9 5900, AMD Ryzen 7 5800X, AMD Ryzen 7 5800, AMD Ryzen 7 3800XT, Ryzen 7 PRO 4750G, AMD Ryzen 5 5600X, AMD Ryzen 5 3600XT, Ryzen 5 PRO 4650G, Ryzen 3 PRO 4350G, AMD Threadripper PRO 5995WX, AMD Threadripper PRO 5975WX, AMD Threadripper PRO 5965WX, AMD Threadripper PRO 5955WX, AMD Threadripper PRO 5945WX Or higher
	Number of Sockets populated with the Processors	1, 2 Or higher
Type	Form Factor	Mobile - Standard, Mobile - Detachable, Mobile - Convertible, Mobile - Ultra Small Form Factor, Desktop, Rack - 1U, Rack - 2U
Motherboard	Chipset Number	Intel C236, Intel C246, Intel CM246, Intel C422, Intel C621, Intel C622, Intel C624, Intel X99, Intel X299, Intel HM 175, Integrated, Intel W480, Intel WM490, Intel W580, Intel H570, Intel W680, Integrated SoC, Intel B660, Intel Q670, AMD X399, AMD WRX80, AMD B550 Or higher
Graphics	Graphics Type	Integrated, Dedicated/Discrete
	Number of Graphic Cards	0, 1, 2, 3, 4 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Graphic Card Description	nVIDIA NVS 310 1GB, nVIDIA NVS 315 1GB, nVIDIA NVS 510 2GB, nVIDIA NVS 810 4GB, nVIDIA Quadro P400 2GB, nVIDIA Quadro P620 2GB, nVIDIA Quadro P1000 4GB, nVIDIA Quadro P2000 5GB, nVIDIA Quadro P3000 6GB, nVIDIA Quadro RTX 3000 6GB, nVIDIA Quadro P4000 8GB, nVIDIA Quadro RTX 4000 8GB, nVIDIA Quadro P5000 16GB, nVIDIA Quadro RTX 5000 16GB, nVIDIA Quadro P6000 24GB, nVIDIA Quadro GP100 16GB, nVIDIA Quadro RTX 6000 24GB, nVIDIA Quadro RTX 8000 48GB, nVIDIA Quadro GV100 32GB, nVIDIA Tesla V100 SXM2 32GB, nVIDIA Quadro P620 4GB, nVIDIA Quadro T1000 w/4GB, nVIDIA Quadro T2000 w/4GB, NVIDIA® Quadro P600 4GB GDDR5, NVIDIA Quadro P2200 5GB GDDR5, NVIDIA Quadro P520 4 GB GDDR5, NVIDIA RTX A4000 16GB 4DP GFX, NVIDIA T400 2GB, NVIDIA T500 4GB, NVIDIA T600 4GB, NVIDIA T550 4GB, NVIDIA RTX A500 4GB(3), NVIDIA T1000 8GB, NVIDIA RTX A2000 12GB, NVIDIA RTX A4000 16GB, NVIDIA RTX A4500 20GB, NVIDIA RTX A5000 24GB, NVIDIA RTX A5500 24GB, NVIDIA RTX A6000 48GB, NVIDIA T400 4GB, NVIDIA Long-Life T1000E 8 GB 4mDP, NVIDIA RTX A2000 - 6GB, NVIDIA Long-Life RTX A2000E 12 GB 4mDP Graphics, NVIDIA GeForce RTX 3060 12 GB, NVIDIA GeForce RTX 3070 8 GB, NVIDIA GeForce RTX 3080 10 GB, AMD Radeon Pro WX2100, AMD Radeon Pro WX3100, AMD Radeon Pro WX3200, AMD Radeon Pro WX4100, AMD Radeon Pro WX4170, AMD Radeon Pro WX5100, AMD Radeon Pro WX7100, AMD Radeon Pro WX7130, AMD Radeon Pro WX9100, AMD Radeon Pro WX4150, GFX AMD Radeon Pro W5500 8GB FH 4DP, AMD RadeonTM Pro W6800 Graphics -32 GB, AMD RadeonTM Pro W6600 Graphics 8GB, AMD RadeonTM RX 6700 XT 12GB, NA Or higher
Operating System	Operating System (Factory Pre-Loaded)	Windows 10 Professional 64 bit, Ubuntu Linux, Redhat Linux, DOS, Windows 11 Professional
Memory	RAM Size (GB)	4, 8, 16, 32, 64, 128, 256, 512, 1024, 2048, 3072, 4096, 48, 96, 192, 384, 768, 1536 Or higher
	RAM Expandability upto using spare DIMM Slots (GB)	16, 32, 64, 128, 256, 512, 1024, 3072, 4096, 384, 1536, 2048, 768 Or higher
Primary Storage /Boot Drive	Type of Drives used to populate the internal Bays	SATA, SAS, SSD, PCIe, NA
	RAID for Operating System	0, 1, NA
	Capacity of each Drive (GB)	128, 256, 300, 384, 500, 512, 600, 768, 800, 900, 1000, 1024, 1200, 1800, 2000, 2048, 4000, 4096, 8000, 6000, 0 Or higher
Secondary Storage	Type of Drives used to populate the Internal Bays	SATA, SAS, SSD, PCIe, NA
	Number of Internal Bays populated with SATA Drive	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Each SATA Drive Capacity (GB)	500, 1000, 2000, 4000, 8000, 0, 6000 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Total SATA Drive Capacity (GB)	500, 1000, 2000, 4000, 8000, 3000, 5000, 6000, 7000, 9000, 12000, 16000, 20000, 24000, 28000, 32000, 0 Or higher
	Number of Internal Bays populated with SAS Drive	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Capacity of each SAS Drive (GB)	300, 600, 900, 1200, 1800, 800, 0, 4000 Or higher
	Total SAS Drive Capacity (GB)	300, 600, 900, 1200, 1800, 2100, 0, 4000 Or higher
	Number of Internal Bays populated with SSD Drive	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Capacity of each SSD Drive (GB)	128, 256, 512, 1024, 2048, 800, 0 Or higher
	Total SSD Capacity (GB)	128, 256, 384, 512, 768, 1024, 2048, 4096, 0, 5120, 3072 Or higher
	Number of Internal Bays populated with PCIe Drive	0, 1, 2, 3, 4, 5, 6, 7, 8 Or higher
	Capacity of each PCIe Drive (GB)	128, 256, 512, 1024, 2048, 0 Or higher
	Total PCIe Drive Capacity (GB)	128, 256, 512, 1024, 2048, 4096, 0, 1536, 6144 Or higher
RAID	Number of RAID Controller Ports	2, 3, 4, 5, 6, 7, 8, 10, 0 Or higher
	Speed of RAID Controller Ports (Gbps)	6, 12, 0 Or higher
Connectivity	Number of Ethernet Ports	1, 2, 3, 4, 6 Or higher
	Wireless Connectivity	Yes, No Or higher
	If Yes, Type of Wireless Connectivity	Wi-Fi 802.11b/g/n, Wi-Fi 802.11ac, NA, Wi-Fi 6E AX211 BT 5.2, Wi-Fi 6 AX200 & BT 5.2, Wi-Fi 6 AX201 (2x2) and BT 5.2 Or higher
	Bluetooth Connectivity	Yes, No Or higher
	If Yes, Version of Bluetooth Available	4, 4.1, 4.2, 5, 0 Or higher
Display	Display Availability	Integrated, Monitor, NA
	Display Size (cm)	35 - 39, 40 - 44, 45 - 49, 49.5 - 53.5, 54 - 56, 58- 61, 63 - 67, 68- 71, 72- 81, 82 - 87, 88 - 93, 94 - 97, 98 - 105, 107 - 110, 111 - 115, 116 - 120, 121 - 125, 126 - 130, NA Or higher
	Display Type	Non Touch, Touch, NA Or higher
	Panel Type	Flat, Curved, NA Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Panel Technology	IPS, TN, VA, OLED, NA Or higher
	Display Resolution (Pixels)	1366x768, 1440 x 900, 1600 x 900, 1920x1080, 1920 x 1200, 3200x1800, 3840 x 2160, 2560 x 1080, 2560 x 1440, 2560 x 1600, 3440 x 1440, 3840 x 1600, 5120 x 1440, 7680 x 4320, NA Or higher
Power	Redundant Power Supply	Yes, No Or higher
Warranty	On Site OEM Warranty (Year)	1, 2, 3, 4, 5 Or higher

Additional Specification Parameters - Workstation (6 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional Technical Parameters (Item Required only with as per the ATC)	Specifications Attached in Scope of Work/ATC (Mandatory)

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajeev Nandan	201309, Outreach Center, Noida IIT Kanpur Extension C Block, Sector 62, Phase 2, Industrial Area, Sector 62	6	45

Workstation (6 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Processor	Processor Make	Intel, AMD
	Processor Generation	7, 8, 9, NA, 10, 11, 12 Or higher
	Number of Cores per Processor	2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 64 Or higher
	Processor Base Frequency (GHz)	1.7, 2, 2.1, 2.2, 2.3, 2.4, 2.5, 2.6, 2.7, 2.8, 2.9, 3, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4, 4.1, 4.2, 4.3, 1.8, 1.9, 5.2 Or higher
	Processor Description	Intel Core i9, Intel Xeon E Series, Intel Xeon W Series, Intel Xeon Bronze Series, Intel Xeon Silver Series, Intel Xeon Gold Series, Intel Xeon Platinum Series Or higher
	Processor Number	Intel Core i3-8100, Intel Core i3-8350K, Intel Core i5-8400, Intel Core i5-8500, Intel Core i5-8600, Intel Core i5-8600K, Intel Core i7-8700, Intel Core i7-8700K, Intel Core i7-7800X, Intel Core i7-7820X, Intel Core i9-7900X, Intel Core i9-7920X, Intel Core i9-7940X, Intel Core i9-7960X, Intel Core i9-7980XE, Intel Core i5-8300H, Intel Core i5- 8305G, Intel Core i5- 8400H, Intel Core i7- 8706G, Intel Core i7- 8750H, Intel Core i7- 8850H, Intel Core i9- 8950HK, Intel Core i3-9100, Intel Core i5-8265U, Intel Core i5-8365U, Intel Core i5-9300H, Intel Core i5-9400H, Intel Core i5-9500, Intel Core i5-9600, Intel Core i5-9600K, Intel Core i7-8565U, Intel Core i7-8665U, Intel Core i7-9700, Intel Core i7-9700K, Intel Core i7-9800X, Intel Core i9-9820X, Intel Core i9-9900, Intel Core i9-9900K, Intel Core i9-9900X, Intel Core i9-9940X, Intel Core i9-9960X, Intel Core i7-9750H, Intel Core i7-9850H, Intel Core i9-9880H, Intel Core i9-9980HK, Intel Core i7-8550U, Intel Core i7-9850HF, Intel Core i9-9980XE, Intel Core i3-8300, Intel Core i3-9300, Intel Core i3-9320, Intel Core i3-9350K, Intel Core i3-9350KF, Intel Core i5- 9400, Intel Core i5- 9400F, Intel Core i5-9500F, Intel Core i5- 9600KF, Intel Core i7-9700F, Intel Core i7-9700KF, Intel Core i9-9900KF, Intel Core i9-9920X, Intel Core i3-7100, Intel Core i5-7400, Intel Core i5-7500, Intel Core i7-7700, Intel Core i5-8250U, Intel Core i7-8650U, Intel Core i9 10980HK, Intel Core i9 10880H, Intel Core i7 10875H, Intel Core i7 10850H, Intel Core i9 9980HK, Intel Core i7 10750H, Intel Core i9 8950HK, Intel Core i5 10400H, Intel Core i5 10300H, Intel Xeon E3 1535M v6, Intel Xeon E3 1505M v6, Intel Xeon E3 1575M v5, Intel Xeon E3 1535M v5, Intel Xeon E3 1545M v5, Intel Xeon E3 1505M v5, Intel Xeon E3 1515M v5, Intel Core i7 10810U, Intel Core i7 10610U, Intel Core i7 10510U, Intel Core i5 10310U, Intel Core i5 10210U, Intel Core i9 10885H, Intel Core i9 10900K, Intel Core i9 10900, Intel Core i7 10700K, Intel Core i7 10700, Intel Core i5 10600K, Intel Core i5 10600, Intel Core i5 10500, Intel Core i3 10100, Intel Core i9 10980XE, Intel Core i9 10940X, Intel Core i9 10920X, Intel Core i9 10900X, Intel Core i9 11900K, Intel Core i9 11900, Intel Core i7 11700K, Intel Core i7 11700, Intel Core i5 11600K, Intel Core i5 11600, Intel Core i5 11500, Intel Core i3-10105, Intel Core i3-10100, Intel Core i3-1220P, Intel

Specification	Specification Name विशिष्ट का नाम	Core i5-1135G7, Intel Core i5-1145G7, Intel Core i5-1155G7, Intel Core i7-1165G7, Intel Core i7-1185G7, Intel Core i5-1240P, Intel Core i5-1250P, Intel Core i5-1245U, Intel Core i7-1260P, Intel Core i7-1255U, Intel Core i7-1270P, Intel Core i7-1280P, Intel Core i7-1265U, Intel Core i5 12400, Intel Core i5 12500, Intel Core i5 12600K, Intel Core i5 12600, Intel Core i7 12700, Intel Core i7 12700K, Intel Core i9 12900, Intel Core i9 12900K, Intel Xeon E-2124, Intel Xeon E-2124G, Intel Xeon E-2126G, Intel Xeon E-2134, Intel Xeon E-2136, Intel Xeon E-2144G, Intel Xeon E-2146G, Intel Xeon E-2174G, Intel Xeon E-2186G, Intel Xeon W-2102, Intel Xeon W-2104, Intel Xeon W-2123, Intel Xeon W-2125, Intel Xeon W-2133, Intel Xeon W-2135, Intel Xeon W-2145, Intel Xeon W-2155, Intel Xeon W-2175, Intel Xeon W-2195, Intel Xeon E-2224, Intel Xeon E-2224G, Intel Xeon E-2226G, Intel Xeon E-2234, Intel Xeon E-2236, Intel Xeon E-2246G, Intel Xeon E-2276G, Intel Xeon E-2278G, Intel Xeon E-2286G, Intel Xeon E-2288G, Intel Xeon E-2176G, Intel Xeon E-2244G, Intel Xeon E-2274G, Intel Xeon W-3175X, Intel Xeon W-3223, Intel Xeon W-3225, Intel Xeon W-3235, Intel Xeon W-3245, Intel Xeon W-3245M, Intel Xeon W-3265, Intel Xeon W-3265M, Intel Xeon W-3275, Intel Xeon W-3275M, Intel Xeon E-2276M, Intel Xeon E-2286M, Intel Xeon E-2176M, Intel Xeon E-2186M, Intel Xeon E-2104G, Intel Xeon W-2235, Intel Xeon W-2255, Intel Xeon W 10855M, Intel Xeon W 10885M, Intel Xeon W 1290P, Intel Xeon W 1290, Intel Xeon W 1270P, Intel Xeon W 1270, Intel Xeon W 1250P, Intel Xeon W 1250, Intel Xeon W-2223, Intel Xeon W-2225, Intel Xeon W-2245, Intel Xeon W-2265, Intel Xeon W-2275, Intel Xeon W-2295, Xeon 2286M, Xeon 2276M, Intel Xeon W 1390P, Intel Xeon W 1390, Intel Xeon W 1370P, Intel Xeon W 1370, Intel Xeon W 1350P, Intel Xeon W 1350, Intel Xeon Bronze 3106, Intel Xeon Silver 4108, Intel Xeon Silver 4110, Intel Xeon Silver 4112, Intel Xeon Silver 4114, Intel Xeon Silver 4116, Intel Xeon Bronze 3204, Intel Xeon Silver 4208, Intel Xeon Silver 4210, Intel Xeon Silver 4214, Intel Xeon Silver 4215, Intel Xeon Silver 4216, Intel Xeon Gold 5118, Intel Xeon Gold 5120, Intel Xeon Gold 5122, Intel Xeon Gold 6126, Intel Xeon Gold 6128, Intel Xeon Gold 6130F, Intel Xeon Gold 6132, Intel Xeon Gold 6134, Intel Xeon Gold 6136, Intel Xeon Gold 6138, Intel Xeon Gold 6140, Intel Xeon Gold 6142, Intel Xeon Gold 6142F, Intel Xeon Gold 6144, Intel Xeon Gold 6146, Intel Xeon Gold 6148, Intel Xeon Gold 6150, Intel Xeon Gold 6152, Intel Xeon Gold 6154, Intel Xeon Platinum 8156, Intel Xeon Platinum 8160, Intel Xeon Platinum 8164, Intel Xeon Platinum 8168, Intel Xeon Platinum 8170, Intel Xeon Platinum 8176, Intel Xeon Platinum 8180, Intel Xeon Gold 5215, Intel Xeon Gold 5215L, Intel Xeon Gold 5215M, Intel Xeon Gold 5217, Intel Xeon Gold 5218, Intel Xeon Gold 5220, Intel Xeon Gold 5222, Intel Xeon Gold 6230, Intel Xeon Gold 6240, Intel Xeon Gold 6242, Intel Xeon Gold 6244, Intel Xeon Gold 6248, Intel Xeon Gold 6252, Intel Xeon Gold 6254, Intel Xeon Platinum 8253, Intel Xeon Platinum 8256, Intel Xeon Platinum 8260, Intel Xeon Platinum 8260L, Intel Xeon Platinum 8260M, Intel Xeon Platinum 8268, Intel Xeon Platinum 8270, Intel Xeon Platinum 8276, Intel Xeon Platinum 8276L, Intel Xeon

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values) (अनुमति प्राप्त मान)
		Platinum 8276M, Intel Xeon Platinum 8280, Intel Xeon Platinum 8280L, Intel Xeon Platinum 8280M, Intel Xeon Gold 6234, Intel Xeon Gold 6238, Intel Xeon Gold 6238T, Intel Xeon Gold 6240Y, Intel Xeon Gold 6240M, Intel Xeon Gold 6246, Intel Xeon Platinum 8158, Intel Xeon Silver 4214Y, Intel Xeon Platinum 3206R, Intel Xeon Silver 4215R, Intel Xeon Silver 4210R, Intel Xeon Silver 4214R, Intel Xeon Gold 6226, Intel Xeon Gold 6250, Intel Xeon Gold 6256, Intel Xeon Gold 5218R, Intel Xeon Gold 6226R, Intel Xeon Gold 6246R, Intel Xeon Gold 6242R, Intel Xeon Gold 5220R, Intel Xeon Gold 6230R, Intel Xeon 6240R, Intel Xeon Gold 6238R, Intel Xeon Gold 6248R, Intel Xeon Gold 6258R, Intel Xeon Platinum 9221, Intel Xeon Platinum 9222, Intel Xeon Platinum 9242, Intel Xeon Platinum 9282, Intel Xeon Gold 5117, AMD:AMD Ryzen Threadripper 1900X, AMD:AMD Ryzen Threadripper 1920X, AMD:AMD Ryzen Threadripper 1950X, AMD:AMD Ryzen Threadripper 2920X, AMD:AMD Ryzen Threadripper 2950X, AMD:AMD Ryzen Threadripper 2970X, AMD:AMD Ryzen Threadripper 2990X, AMD: AMD Ryzen Threadrippe PRO 3945WX, AMD: AMD Ryzen Threadripper PRO 3955WX, AMD: AMD: Ryzen Threadripper PRO 3975WX, AMD: AMD: RyzenThreadripper PRO 3995WX, AMD Ryzen 9 5950X, AMD Ryzen 9 3950X, AMD Ryzen 9 5900X, AMD Ryzen 9 5900, AMD Ryzen 7 5800X, AMD Ryzen 7 5800, AMD Ryzen 7 3800XT, Ryzen 7 PRO 4750G, AMD Ryzen 5 5600X, AMD Ryzen 5 3600XT, Ryzen 5 PRO 4650G, Ryzen 3 PRO 4350G, AMD Threadripper PRO 5995WX, AMD Threadripper PRO 5975WX, AMD Threadripper PRO 5965WX, AMD Threadripper PRO 5955WX, AMD Threadripper PRO 5945WX Or higher 1, 2 Or higher
	Number of Sockets populated with the Processors	
Type	Form Factor	Mobile - Standard, Mobile - Detachable, Mobile - Convertible, Mobile - Ultra Small Form Factor, Desktop, Rack - 1U, Rack - 2U
Motherboard	Chipset Number	Intel C236, Intel C246, Intel CM246, Intel C422, Intel C621, Intel C622, Intel C624, Intel X99, Intel X299, Intel HM 175, Integrated, Intel W480, Intel WM490, Intel W580, Intel H570, Intel W680, Integrated SoC, Intel B660, Intel Q670, AMD X399, AMD WRX80, AMD B550 Or higher
Graphics	Graphics Type	Integrated, Dedicated/Discrete
	Number of Graphic Cards	0, 1, 2, 3, 4 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Graphic Card Description	nVIDIA NVS 310 1GB, nVIDIA NVS 315 1GB, nVIDIA NVS 510 2GB, nVIDIA NVS 810 4GB, nVIDIA Quadro P400 2GB, nVIDIA Quadro P620 2GB, nVIDIA Quadro P1000 4GB, nVIDIA Quadro P2000 5GB, nVIDIA Quadro P3000 6GB, nVIDIA Quadro RTX 3000 6GB, nVIDIA Quadro P4000 8GB, nVIDIA Quadro RTX 4000 8GB, nVIDIA Quadro P5000 16GB, nVIDIA Quadro RTX 5000 16GB, nVIDIA Quadro P6000 24GB, nVIDIA Quadro GP100 16GB, nVIDIA Quadro RTX 6000 24GB, nVIDIA Quadro RTX 8000 48GB, nVIDIA Quadro GV100 32GB, nVIDIA Tesla V100 SXM2 32GB, nVIDIA Quadro P620 4GB, nVIDIA Quadro T1000 w/4GB, nVIDIA Quadro T2000 w/4GB, NVIDIA® Quadro P600 4GB GDDR5, NVIDIA Quadro P2200 5GB GDDR5, NVIDIA Quadro P520 4 GB GDDR5, NVIDIA RTX A4000 16GB 4DP GFX, NVIDIA T400 2GB, NVIDIA T500 4GB, NVIDIA T600 4GB, NVIDIA T550 4GB, NVIDIA RTX A500 4GB(3), NVIDIA T1000 8GB, NVIDIA RTX A2000 12GB, NVIDIA RTX A4000 16GB, NVIDIA RTX A4500 20GB, NVIDIA RTX A5000 24GB, NVIDIA RTX A5500 24GB, NVIDIA RTX A6000 48GB, NVIDIA T400 4GB, NVIDIA Long-Life T1000E 8 GB 4mDP, NVIDIA RTX A2000 - 6GB, NVIDIA Long-Life RTX A2000E 12 GB 4mDP Graphics, NVIDIA GeForce RTX 3060 12 GB, NVIDIA GeForce RTX 3070 8 GB, NVIDIA GeForce RTX 3080 10 GB, AMD Radeon Pro WX2100, AMD Radeon Pro WX3100, AMD Radeon Pro WX3200, AMD Radeon Pro WX4100, AMD Radeon Pro WX4170, AMD Radeon Pro WX5100, AMD Radeon Pro WX7100, AMD Radeon Pro WX7130, AMD Radeon Pro WX9100, AMD Radeon Pro WX4150, GFX AMD Radeon Pro W5500 8GB FH 4DP, AMD RadeonTM Pro W6800 Graphics -32 GB, AMD RadeonTM Pro W6600 Graphics 8GB, AMD RadeonTM RX 6700 XT 12GB, NA Or higher
Operating System	Operating System (Factory Pre-Loaded)	Windows 10 Professional 64 bit, Ubuntu Linux, Redhat Linux, DOS, Windows 11 Professional
Memory	RAM Size (GB)	4, 8, 16, 32, 64, 128, 256, 512, 1024, 2048, 3072, 4096, 48, 96, 192, 384, 768, 1536 Or higher
	RAM Expandability upto using spare DIMM Slots (GB)	16, 32, 64, 128, 256, 512, 1024, 3072, 4096, 384, 1536, 2048, 768 Or higher
Primary Storage /Boot Drive	Type of Drives used to populate the internal Bays	SATA, SAS, SSD, PCIe, NA
	RAID for Operating System	0, 1, NA
	Capacity of each Drive (GB)	128, 256, 300, 384, 500, 512, 600, 768, 800, 900, 1000, 1024, 1200, 1800, 2000, 2048, 4000, 4096, 8000, 6000, 0 Or higher
Secondary Storage	Type of Drives used to populate the Internal Bays	SATA, SAS, SSD, PCIe, NA
	Number of Internal Bays populated with SATA Drive	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Each SATA Drive Capacity (GB)	500, 1000, 2000, 4000, 8000, 0, 6000 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Total SATA Drive Capacity (GB)	500, 1000, 2000, 4000, 8000, 3000, 5000, 6000, 7000, 9000, 12000, 16000, 20000, 24000, 28000, 32000, 0 Or higher
	Number of Internal Bays populated with SAS Drive	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Capacity of each SAS Drive (GB)	300, 600, 900, 1200, 1800, 800, 0, 4000 Or higher
	Total SAS Drive Capacity (GB)	300, 600, 900, 1200, 1800, 2100, 0, 4000 Or higher
	Number of Internal Bays populated with SSD Drive	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Capacity of each SSD Drive (GB)	128, 256, 512, 1024, 2048, 800, 0 Or higher
	Total SSD Capacity (GB)	128, 256, 384, 512, 768, 1024, 2048, 4096, 0, 5120, 3072 Or higher
	Number of Internal Bays populated with PCIe Drive	0, 1, 2, 3, 4, 5, 6, 7, 8 Or higher
	Capacity of each PCIe Drive (GB)	128, 256, 512, 1024, 2048, 0 Or higher
	Total PCIe Drive Capacity (GB)	128, 256, 512, 1024, 2048, 4096, 0, 1536, 6144 Or higher
RAID	Number of RAID Controller Ports	2, 3, 4, 5, 6, 7, 8, 10, 0 Or higher
	Speed of RAID Controller Ports (Gbps)	6, 12, 0 Or higher
Connectivity	Number of Ethernet Ports	1, 2, 3, 4, 6 Or higher
	Wireless Connectivity	Yes, No Or higher
	If Yes, Type of Wireless Connectivity	Wi-Fi 802.11b/g/n, Wi-Fi 802.11ac, NA, Wi-Fi 6E AX211 BT 5.2, Wi-Fi 6 AX200 & BT 5.2, Wi-Fi 6 AX201 (2x2) and BT 5.2 Or higher
	Bluetooth Connectivity	Yes, No Or higher
	If Yes, Version of Bluetooth Available	4, 4.1, 4.2, 5, 0 Or higher
Display	Display Availability	Integrated, Monitor, NA
	Display Size (cm)	35 - 39, 40 - 44, 45 - 49, 49.5 - 53.5, 54 - 56, 58- 61, 63 - 67, 68- 71, 72- 81, 82 - 87, 88 - 93, 94 - 97, 98 - 105, 107 - 110, 111 - 115, 116 - 120, 121 - 125, 126 - 130, NA Or higher
	Display Type	Non Touch, Touch, NA Or higher
	Panel Type	Flat, Curved, NA Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Panel Technology	IPS, TN, VA, OLED, NA Or higher
	Display Resolution (Pixels)	1366x768, 1440 x 900, 1600 x 900, 1920x1080, 1920 x 1200, 3200x1800, 3840 x 2160, 2560 x 1080, 2560 x 1440, 2560 x 1600, 3440 x 1440, 3840 x 1600, 5120 x 1440, 7680 x 4320, NA Or higher
Power	Redundant Power Supply	Yes, No Or higher
Warranty	On Site OEM Warranty (Year)	1, 2, 3, 4, 5 Or higher

Additional Specification Parameters - Workstation (6 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional Technical Parameters (Item Required only with as per the ATC)	Specifications Attached in Scope of Work/ATC (Mandatory)

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajeev Nandan	201309, Outreach Center, Noida IIT Kanpur Extension C Block, Sector 62, Phase 2, Industrial Area, Sector 62	6	45

Buyer added Bid Specific Additional Scope of Work

S.No.क्र.सं.	Document Title	Description	Applicable/रिवर्स प्रभार के अनुसार जोएसटी i.r.o. Items
1	Additional Technical Parameters View	See Details for Compliance	Workstation(6)

S.No.क्र.सं	Document Title	Description	Applicable/रिवर्स प्रभार के अनुसार जीएसटी i.r.o. Items
2	Additional Technical Parameters View	See Details for Compliance	Workstation(6)
3	Additional Technical Parameters View	See Details for Compliance	Workstation(6)

The uploaded document only contains Buyer specific Additional Scope of Work and / or Drawings for the bid items added with due approval of Buyer's competent authority. Buyer has certified that these additional scope and drawings are generalized and would not lead to any restrictive bidding.

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Terms and Conditions (As per GeM)

1. General Terms and Conditions-

1.1 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services , detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) as a available on the GeM portal (unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

1.2 Terms of delivery: Free Delivery at Site including loading/unloading. In respect of items requiring installation and / or commissioning and other services in the scope of supply (as indicated in respective product category specification / STC / ATC), and the cost of the same is also included in the Contract price.

1.2.1 Contracted goods should be delivered at the consignee or designated delivery location as per the working time of the buying organisation. Seller may get the same confirmed from consignee before scheduling delivery.

1.2.2 A copy of the contract should be available with the messenger / dispatching agency that delivers the Goods at consignee / delivery location (preferably pasted / attached outside the consignment / package) for easy reference and ease in delivery acceptance.

1.3 Delivery period: The Delivery Period/Time shall be essence of the Contract and delivery must be completed not later than such date(s). Any modification thereto shall be mutually agreed and incorporated in the Contract as per the provisions of the GTC.

1.4 Performance Security: If the Seller fails or neglects to observe or perform any of his obligations under the contract it shall be lawful for the Buyer to forfeit either in whole or in part, the Performance Security furnished by the Seller.

1.5 Taxes and Duties: Contract Prices are all inclusive i.e. including all taxes, duties, local levies / transportation / loading-unloading charges etc. Break up of GST shall be indicated by the Seller while raising invoice / bill on GeM. While submitting the bill / invoice Seller shall undertake that the Goods and Services Tax (GST) charged on this bill is not more than what is payable under the provision on the relevant Act or the Rules made there under and that the Goods on which GST has been charged have not been exempted under the GST Act or the Rules made there under and the charges on account of GST on these goods are correct under the provision of that Act or the rules made there under.

1.6 Octroi Duty and / or other local taxes: Contract Prices are all inclusive hence no reimbursement over and above the contract price(s) shall be allowed to seller towards payment of local taxes (such as levy of town duty, Octroi Duty, Terminal Tax and other levies of local bodies etc).

1.7 Limitation of Liability: The provisions of limitation of liability between Buyer and Seller as given in the GTC shall be applicable here.

1.8 Resolution of disputes: The provisions of DISPUTE RESOLUTION BETWEEN BUYER AND SELLER as given in the GTC shall be applicable here.

1.9 Liquidated Damages: If the Seller fails to deliver any or all of the Goods/Services within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 0.5% per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value without any controversy/dispute of any sort whatsoever. In case, Service Level Agreement (SLA) is applicable the same shall be applicable for the Contract.

1.10 Financial Certificate:

1.10.1 The expenditure involved for this purpose has received the Sanction of the competent financial authority.

1.10.2 The funds are available under the proper head in the sanction budget allotment for the concern financial year.

1.10.3 I have been fully authorized by the department to sign the supply order or incur the liability of the Goods being ordered.

1.11 The bidder should submit a self declaration to the effect in bidder's official letter head that their agency have not been black listed by any Agency whatsoever till date.

2. Buyer Added Bid Specific Terms And Conditions-

2.1 Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

2.2 Bidders shall quote only those products in the bid which are not obsolete in the market and has at least 2 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

2.3 Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

2.4 End User Certificate: Wherever Bidders are insisting for End User Certificate from the Buyer, same shall be provided in Buyer's standard format only.

2.5 Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid document

ts. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

2.6 - NA

2.7 Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

2.8 Upload Manufacturer authorization: Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.

2.9 Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

2.10 OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

2.11 IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

2.12 Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

2.13 Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

2.14 Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

2.15 Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.16 To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid): OEM or OEM Authorization.

2.17 Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

2.18 NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

20. Past Project Experience

For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:

- a. Purchase Order copy along with Invoice(s) with self-certification by the bidder that supplies against the invoices have been executed.
- b. Execution certificate by client with order value.
- c. Any other document in support of order execution like Third Party Inspection release note, etc.

21. Past Project Experience

The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:

- (i) Single order of at least 35% of estimated bid value; or
- (ii) Two orders of at least 20% each of estimated bid value; or
- (iii) Three orders of at least 15% each of estimated bid value.

Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should

be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion

Note:

1- See Additional Document attached in ATC Documents which needs to be submitted. (Mandatory)

Additional T&C (If Any) - See Attachment in ATC For Specifications or BID related Certificates (Mandatory)

Note-

01 - All Bidders should provide quoted item's Make & Model No with its official/printed brochure (Mandatory) if brochure is NA, then please provide detailed specifications (with Make & Model No) as required/asked in BID and this should be in your Co./Firm letter head with duly signed & stamped (Do Not Copy Paste our Required/Asked Specifications)

02 - Copy/Paste of Our Required Technical Specifications or any non-relevant document provided in Technical BID from bidders may lead to rejection of BID.

Please Note: This Item Consists Various Components/Parts/Sub Parts/Accessories (See Specifications for Full details) where BID is floated for 01 SET (So the Prices should be quoted accordingly that consist of all in 01 Set Prices)

Special Note - Note - Item required only as per our Additional Technical Specifications Fulfilling which is mentioned in Additional Tech Parameters in BID Document & Scope of Work also, it overrides BID Selected Item because selected item not meet our technical requirement completely. So Please Quote Accordingly, not fulfilling the Additional Tech Specs may lead to rejection of BIDs.

ATC-2

All the Bidders needs to upload document in ATC-2 Tab regarding Previous Supply of the similar item as Required in BID (at least two order copies)

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---